RECEIVED

MAR 0 1 200K

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

(Use several sheets if necessary)

Docket Number: ART-00105.P.1.1-US	Application Number 1 0 20 09/973,629	04
Applicant:		

Cheng et al.

Filing Date: Group Art Unit:
October 9, 2001 1641

			U.S. PATE	NT DOCUMENT	rs		
EXAMINER INITIAL	-	DOCUMENT NUMBER	DATE	NAME	CLASS	SUB- CLASS	FILING DATE IF APPROPRIATE
	Pl						

FOREIGN PATENT DOCUMENTS								
EXAMINER		DOCUMENT	DATE	COUNTRY	CLASS	SUB-	Trans	lation
INITIAL		NUMBER				CLASS	YES	NO
	Fl							"-

	OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)					
EXAMINER INITIALS		CITATION				
0	Dl	Ahn et al., A New Toroidal-Meander Type Integrated Inductor With a Multilevel Meander Magnetic Core, IEEE Trans. Magnetics 30:73-79 (1994).				
00	D2	Ahn et al., A Fully Integrated Micromachined Magnetic Particle Separator, J. Microelectromechanical Systems 5:151-158 (1996).				
00	D3	Batra et al., Insertion of Constant Region Domains of Human IgG, into CD4-PE40 Increases its Plasma Half-life, Mol. Immunology 30:379-386 (1993).				
	D4	Becker et al., The removal of human leukaemia cells from blood using interdigitated microelectrodes, J. Phys. D. Appl. Phys. 27:2659-2662 (1994).				

Examiner Signature	(sh)	1. La	Date Considered	9/28/04



OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.) **EXAMINER** CITATION INITIALS D5 Becker et al., Separation of human breast cancer cells from blood by deferential dielectric affinity, Proc. Natl. Acad. Sci. USA 92:860-864 (1995). Burt et al., An optical dielectrophoresis spectrometer for low-frequency measurements on D6 colloidal suspensions, J. Phys. E: Sci. Instrum., 22:952-957 (1989). Cheng et al., Preparation and hybridization analysis of DNA/RNA from E. coli on D7 microfabricated bioelectronic chips, Nat. Biotech. 16:541-546 (1998). Cumber et al., Structural Features of the Antibody-A Chain Linkage that Influence D8 Activity and Stability of Ricin A Chain Immunotoxins, Bioconjugate Chem. 3:397-401 (1992). D9 De Gasperis et al., Microfluidic Cell Separation by 2-dimensional Dielectrophoresis, Biomedical Microdevices 2:41-49 (1999). D10 Edman et al., Electric field directed nucleic acid hybridization on microchips, Nucleic Acids Res., 25:4907-4914 (1997). D11 Effenhauser, C.S. et al., High-speed separation of antisense oligonucleotides on a micromachined capillary electrophoresis device, Anal. Chem. 66: 2949-2953 (1994). D12 Fiedler et al., Dielectrophoretic Sorting of Particles and Cells in a Microsystem, Anal. Chem. 70:1909-1915 (1998). D13 Fiedler et al., Electrocasting - formation and structuring of suspended microbodies using a.c. generated field cages, Microsystem Technologies 2:1-7 (1995). D14 Fuhr et al., Levitation, holding, and rotation of cells within traps made by high-frequency fields, Biochim. Biophys. Acta 1108: 215-223 (1992). D15 Fuhr et al., Particle micromanipulator consisting of two orthogonal channels with travelling-wave electrode structures, Sensors and Actuators A. 41-42: 230-239 (1994). D16 Fuhr et al., Dielectrophoretic field cages: technique for cell, virus and macromolecule handling, Cellular Engineering 1: 47-57 (1995). Fuhr et al., Positioning and Manipulation of Cells and Microparticles Using Miniaturized D17

	 /		
Examin Signatu	1. Xon	Date Considered	9/28/04

Electric Field Traps and Travelling Waves, Sensors and Materials 7:131-146 (1995).



MAR 1 0 2004

_		OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)
EXAMINER INITIALS		CITATION
0	D18	Gascoyne et al., Dielectrophoretic Separation of Cancer Cells from Blood, IEEE Transactions on Ind. Appl. 33:670-678 (1997).
	D19	Green and Morgan, Dielectrophoretic Separation of nano-particles, J. Phys. D: Appl. Phys. 30:L41-L44 (1997).
	D20	Hagedom et al., Traveling-wave dielectrophoresis of microparticles, Electrophoresis 13:49-54 (1992).
	D21	Hagedom et al., Design of asynchronous dielectric micromotors, J. Electrostatics, 33:159-185 (1994).
A	D22	Harrison, D.J. et al., Micromachining a Miniaturized Capillary Electrophoresis-Based Chemical Analysis System on a Chip, Science, 261:895-897 (1993).
JL.	D23	Hawkes et al., A dielectrophoretic spectrometer for characterising micro-organisms and other particles, <i>Microbios</i> . 73:81-86 (1993).
M	D24	Huang and Pethig, Electrode design for negative dielectrophoresis, <i>Meas. Sci. Technol.</i> , 2:1142-1146 (1991).
P	D25	Huang et al., Differences in the AC electrodynamics of viable and non-viable yeast cells determined through combined dielectrophoresis and electrorotation studies, <i>Phys. Med. Biol.</i> 37: 1499-1517 (1992).
17	D26	Huang et al., Electrokinetic behaviour of colloidal particles in travelling electric fields: studies using yeast cells, J. Phys. D: Appl. Phys., 26: 1528-1535 (1993).
2	D27	Huang et al., Electrorotational studies of the cytoplasmic dielectric properties of Friend murine erythroleukaemia cells, <i>Phys. Med. Biol.</i> 40: 1789-1806 (1995).
1	D28	Huang et al., Membrane changes associated with the temperature-sensitive P85***
	D29	Huang et al., Introducing Dielectrophoresis as a New Force Field for Field-Flow Fractionation, Biophys. J. 73:1118-1129 (1997).
2	D30	Huang et al., Membrane dielectric responses of human T-lymphocytes following mitogenic stimulation, Biochim. Biophys. Acta 1417:51-62 (1999).

Examiner Signature Co	Pate 9/28/04 Considered
-----------------------	-------------------------

OIPE
MAR D 1 2004 (1)
TRANSANTAS

RECEIVED

MAKUI		/
TRADE	MART GET	OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.) MAR 1 0 2004
EXAMINER INITIALS		CITATION
	D31	Hughes et al., Manipulation of herpes simplex virus type 1 by dielectrophoresis, Biochim: Biophys. Acta, 1425:119-126 (1998).
0	D32	Huston et al., Protein engineering of antibody binding sites: Recovery of specific activity in an anti-digoxin single-chain Fv analogue produced in Escherichia coli, Proc. Natl. Acad. Sci. USA, 85:5879-5883 (1988).
ae	D33	Kronick, P. L., Magnetic Microspheres in Cell Separation, Methods of Cell Separation, 3: 115-139 (1980).
90	D34	Ladurner et al., Glutamine, Alanine or Glycine Repeats Inserted in the Loop of a Protein Have Minimal Effects on Stability and Folding Rates, J. Mol. Biol. 273:330-337 (1997).
00	D35	Liakopoulos et al., A Bio-Magnetic Bead Seperator On Glass Chips Using Semi- encapsulated Spiral Electromagnets, <i>Transducers</i> 97: 485-488 (1997).
0	D36	Lichtenberg et al., Micro Total analysis Systems 2000, edited by A. Van Den Berg et al., 307-310.
1	D37	Markx et al., Dielectrophoretic characterization and separation of micro-organisms, Microbiology 140:585-591 (1994).
2	D38	Morgan, et al., Large-area travelling-wave dielectrophoresis particle separator, J. Micromech. Microeng. 7:65-70 (1997).
2	D39	Morgan et al., Separation of Submicron Bioparticles by Dielectrophoresis, Biophys. J. 77:516-525 (1999).
9	D40	Muller et al., A 3-D microelectrode system for handling and caging single cells and particles, Biosensors and Bioelectronics 14:247-256 (1999).
Ď/	D41	Newton et al., Angiogenin Single-Chain Immunofusions: Influence of Peptide Linkers and Spacers between Fusion Protein Domains, Biochemistry 35:545-553 (1996)
OP	D42	Price et al., Applications of a new optical technique for measuring the dielectrophoretic behaviour of micro-organisms, Bioichim. Biophys Acta 954:221-230 (1988).
P	D43	Schnelle et al., Three-dimensional electric field traps for manipulation of cells - calculation and experimental verification, Biochim. Biophys. Acta 1157:127-140 (1993).

Examiner Signature	2 Hder	Date Considered	3/28/04

MAR 0 1 2004 2

D55

RECEIVED

R.	RADE	OTHER DOCUMENTS OTHER DOCUMENTS (Value of the Particular Particu
EXAMINER INITIALS	RADE	(Including Author, Title, Date, Pertinent Pages, Etc.) MAR 1 0 20 CITATION
D	D44	Stephens et al., The dielectrophoresis enrichment of CD34+ cells from peripheral blood stem cell harvests, Bone Marrow Transplantation 18:777-782 (1996).
00	D45	Wang et al., Selective dielectrophoretic confinement of bioparticles in potential energy wells, J. Phys. D: Appl. Phys. 26:1278-1285 (1993).
(J)	D46	Wang et al., Non-uniform spatial distributions of both the magnitude and phase of AC electric fields determine dielectrophoretic forces, <i>Biochim. Biophys. Acta.</i> 1243:185-194 (1995).
0	D47	Wang et al., Dielectrophoretic Manipulation of Particles, IEEE Transactions on Industry Appl. 33:660-669 (1997).
7	D48	Wang et al., Dielectrophoretic Manipulation of Cells with Spiral Electrodes, Biophys. J., 72:1887-1899 (1997).
B	D49	Wang et al., Separation of Polystyrene Microbeads Using Dielectrophoretic/Gravitational Field-Flow-Fractionation, Biophys. J. 74:2689-2701 (1998).
(20)	D50	Washizu et al., Handling Biological Cells Using a Fluid Integrated Circuit, IEEE Transactions on Industry Appl. 26:352-358 (1990).
14	D51	Washizu et al., Molecular Dielectrophoresis of Biopolymers, IEEE Transactions on Industry Appl. 30:835-843 (1994).
	D52	Whitlow et al., An improved linker for single-chain Fv with reduced aggregation and enhanced proteolytic stability, <i>Protein Engineering</i> 6:989-995 (1993).
A	D53	Xie et al., Microchip-Based Capillary Electrophoresis Systems, Meth. in Mol. Biol. 162: 67-83.
Q	D54	Yang et al., Cell Separation on Microfabricated Electrodes Using Dielectrophoretic/Gravitational Field-Flow Fractionation, Anal. Chem. 71:911-918 (1999).

Examiner Signature	(g)	/x	Lav	Date Considered	9/28/04
		/			